

SUNSHINE / OOLITE

Sunshine / Oolite by Coral Classics



Sunshine Stone / Oolite is an Oolitic limestone quarried in South Florida. This unique material is extracted from underground shallow quarries that are thousands of years old. Created from water and compression, this material is uniform in color and is available in either a white selection or a gold selection. A very porous material with holes throughout, it has been used all over South Florida in all types of applications. Wall cladding, flooring, architectural elements, steppingstones, landscape boulders and retaining walls, wall caps, coping, stair treads, fountains, fireplaces and benches are just a few of the examples.

► Made famous in Coral Gables and South Beach, it has been and is still today, used on luxurious residential homes and estates as well as commercial hotel and retail store applications.

TILE FORMAT

Sunshine / Oolite by Coral Classics



TILE SIZE 2" TO 3" THICK

12"x12"
12"x24"
16"x16"
16"x24"
18"x18"
18"x36"
24"x24"
24"x36"
24"x48"
36"x36"
36"x48"
36"x60"

PAVER SIZES 3" THICK

12"x12"
12"x24"
16"x16"
16"x24"
18"x18"
18"x36"
24"x24"
24"x36"
24"x48"
36"x36"
36"x48"
36"x60"

COPING 3" THICK

COPING
12" X 24" X 3"
FULL BULLNOSE
OR
SQUARE EDGE

Sunshine / Oolite is only available in sawcut unfilled. Material is all cut to order. Special order, cut to size, small slab and solid block format.

SEALING

Sunshine / Oolite by Coral Classics



Sunshine/Oolite is a very porous stone that should be sealed with a high-quality penetrating stone or marble sealer to close its pores if you wish to keep it from staining or attracting mold or mildew. If stained, typically a simple bleach & water solution will remove it and bring the material back to its original color without damage. If Sunshine is not sealed, the material will collect mold & mildew in the pores & holes & turn black giving the material the "Old World Castle Look" that is often sought after by Designers & Architects. Coral Classics recommends 4OSK Sealer for this product.

(Refer to Sealer Page)

